



# H-Shield

## Packaging & Weight Chart

| SIZE | LTTR | PCS/PL | *DP<br>PCS/PL | LBS/4X8<br>PC | LBS/4X4<br>PL | 4X4<br>SF/PL | *DP 4X4 LBS PL<br>4X8 LBS PL | *DP 4X4 SF PL<br>4X8 SF PL | SF/48'<br>TRL | WEIGHT<br>PER SF |
|------|------|--------|---------------|---------------|---------------|--------------|------------------------------|----------------------------|---------------|------------------|
| 0.5  |      | 96     | 192           | 5.18          | 248.54        | 1536         | 497.09                       | 3072                       | 73728         | 0.16             |
| 1.0  | 5.7  | 48     | 96            | 7.71          | 185.06        | 768          | 370.13                       | 1536                       | 36864         | 0.24             |
| 1.1  | 6.3  | 43     | 86            | 8.22          | 176.69        | 688          | 353.37                       | 1376                       | 33024         | 0.26             |
| 1.2  | 6.8  | 40     | 80            | 8.73          | 174.50        | 640          | 349.00                       | 1280                       | 30720         | 0.27             |
| 1.3  | 7.4  | 36     | 72            | 9.23          | 166.16        | 576          | 332.32                       | 1152                       | 27648         | 0.29             |
| 1.4  | 8.0  | 34     | 68            | 9.74          | 165.55        | 544          | 331.09                       | 1088                       | 26112         | 0.30             |
| 1.5  | 8.6  | 32     | 64            | 10.25         | 163.92        | 512          | 327.84                       | 1024                       | 24576         | 0.32             |
| 1.6  | 9.1  | 30     | 60            | 10.75         | 161.27        | 480          | 322.53                       | 960                        | 23040         | 0.34             |
| 1.7  | 9.7  | 28     | 56            | 11.26         | 157.61        | 448          | 315.22                       | 896                        | 21504         | 0.35             |
| 1.75 | 10.0 | 27     | 54            | 11.52         | 155.52        | 432          | 311.04                       | 864                        | 20736         | 0.36             |
| 1.8  | 10.3 | 26     | 52            | 11.77         | 152.95        | 416          | 305.89                       | 832                        | 19968         | 0.37             |
| 1.9  | 10.8 | 25     | 50            | 12.27         | 153.39        | 400          | 306.78                       | 800                        | 19200         | 0.38             |
| 2.0  | 11.4 | 24     | 48            | 12.78         | 153.34        | 384          | 306.67                       | 768                        | 18432         | 0.40             |
| 2.1  | 12.0 | 22     | 44            | 13.29         | 146.14        | 352          | 292.27                       | 704                        | 16896         | 0.42             |
| 2.2  | 12.6 | 21     | 42            | 13.79         | 144.81        | 336          | 289.61                       | 672                        | 16128         | 0.43             |
| 2.3  | 13.2 | 20     | 40            | 14.30         | 142.98        | 320          | 285.96                       | 640                        | 15360         | 0.45             |
| 2.4  | 13.8 | 20     | 40            | 14.81         | 148.05        | 320          | 296.10                       | 640                        | 15360         | 0.46             |
| 2.5  | 14.4 | 19     | 38            | 15.31         | 145.45        | 304          | 290.91                       | 608                        | 14592         | 0.48             |
| 2.6  | 15.0 | 18     | 36            | 15.82         | 142.36        | 288          | 284.72                       | 576                        | 13824         | 0.49             |
| 2.7  | 15.6 | 17     | 34            | 16.33         | 138.76        | 272          | 277.53                       | 544                        | 13056         | 0.51             |
| 2.8  | 16.2 | 17     | 34            | 16.83         | 143.06        | 272          | 286.13                       | 544                        | 13056         | 0.53             |
| 2.9  | 16.8 | 16     | 32            | 17.34         | 138.70        | 256          | 277.41                       | 512                        | 12288         | 0.54             |
| 3.0  | 17.4 | 16     | 32            | 17.85         | 142.76        | 256          | 285.52                       | 512                        | 12288         | 0.56             |
| 3.1  | 18.0 | 15     | 30            | 18.35         | 137.63        | 240          | 275.27                       | 480                        | 11520         | 0.57             |
| 3.2  | 18.6 | 15     | 30            | 18.86         | 141.44        | 240          | 282.87                       | 480                        | 11520         | 0.59             |
| 3.3  | 19.2 | 14     | 28            | 19.37         | 135.56        | 224          | 271.11                       | 448                        | 10752         | 0.61             |
| 3.4  | 19.9 | 14     | 28            | 19.87         | 139.10        | 224          | 278.19                       | 448                        | 10752         | 0.62             |
| 3.5  | 20.5 | 13     | 26            | 20.38         | 132.46        | 208          | 264.91                       | 416                        | 9984          | 0.64             |
| 3.6  | 21.1 | 13     | 26            | 20.89         | 135.75        | 208          | 271.51                       | 416                        | 9984          | 0.65             |
| 3.7  | 21.7 | 12     | 24            | 21.39         | 128.35        | 192          | 256.69                       | 384                        | 9216          | 0.67             |
| 3.8  | 22.3 | 12     | 24            | 21.90         | 131.39        | 192          | 262.78                       | 384                        | 9216          | 0.68             |
| 3.9  | 23.0 | 12     | 24            | 22.41         | 134.43        | 192          | 268.86                       | 384                        | 9216          | 0.70             |
| 4.0  | 23.6 | 12     | 24            | 22.91         | 137.47        | 192          | 274.93                       | 384                        | 9216          | 0.72             |
| 4.1  | 24.2 | 11     | 22            | 23.42         | 128.80        | 176          | 257.60                       | 352                        | 8448          | 0.73             |
| 4.2  | 24.9 | 11     | 22            | 23.93         | 131.59        | 176          | 263.18                       | 352                        | 8448          | 0.75             |
| 4.3  | 25.5 | 11     | 22            | 24.43         | 134.37        | 176          | 268.74                       | 352                        | 8448          | 0.76             |
| 4.4  | 26.1 | 10     | 20            | 24.94         | 124.69        | 160          | 249.38                       | 320                        | 7680          | 0.78             |
| 4.5  | 26.8 | 10     | 20            | 25.45         | 127.23        | 160          | 254.45                       | 320                        | 7680          | 0.80             |

**To achieve optimal thermal performance Hunter Panels recommends installation of a multi-layered system with staggered joints.**

\*DP: Double Packs consist of 2 stacks of 4'x4' polyiso, side by side, shrink wrapped and bagged together to ship as a 4x8 unit. In an effort to speed up unloading of trucks, staging of jobs and crane usage - the double packs are a preferred packaging option. 4'x4' polyiso is now available in single and double packs.